## VDOT 2008 Road and Bridge Standards

Section	300 -	<b>Pavement Items</b>
---------	-------	-----------------------

Standard	Page	Title	Current Revision	Previous Revisions							Insertable Sheet
PR-2	301.01	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints								<u>12/08</u>	
	301.02	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints								<u>12/08</u>	
	301.03	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints								<u>12/08</u>	
	301.04	Standard Load Transfer Assembly Contraction Joints								<u>12/08</u>	
	301.05	Standard Load Transfer Assembly Expansion Joints								<u>12/08</u>	
	301.06	8" Continuously Reinforced Concrete Pavement (Wire Mesh Reinforcement) <b>VOID</b>								<u>12/08</u>	
PR-3	301.07	8" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)	<u>07/12</u>							<u>12/08</u>	<u>IIS03_08</u>
	301.08	8" Continuously Reinforced Concrete Pavement (for use with Bar or Wire Mesh Reinforcement)								<u>12/08</u>	
	301.09	8" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)	<u>07/12</u>	<u>04/09</u>						<u>12/08</u>	<u>IIS03_01</u>
	301.10	9" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)	<u>07/12</u>							<u>12/08</u>	<u>IIS03_09</u>
PR-4	301.11	9" Continuously Reinforced Concrete Pavement (for use with Bar Reinforcement only)								<u>12/08</u>	
	301.12	9" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)	<u>07/12</u>	<u>04/09</u>						<u>12/08</u>	<u>IIS03_02</u>
3	301.13	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane								<u>12/08</u>	
PR-5	301.14	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane								<u>12/08</u>	
	301.15	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane								<u>12/08</u>	

## VDOT 2008 Road and Bridge Standards

## Section 300 - Pavement Items

Standard	Page	ge Title		Previous Revisions	Original Standard	Insertable Sheet
PR-6	301.16	10" Continuously Reinforced Concrete Pavement 14			12/08	
	301.17	Foot Travel Lane 10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.18	10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
PR-7	301.19	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.20	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.21	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
PR-8	301.22	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.23	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.24	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
PR-9	301.25	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.26	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
	301.27	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			<u>12/08</u>	
XJ-1	302.01	Bridge Approach Expansion Joint (for Widening or Maintenance of Existing XJ-1 Only)			<u>12/08</u>	
	302.02	Bridge Approach Expansion Joint (Installation Criteria)			<u>12/08</u>	
WP-1	303.01	Method of Widening Bridge Approach Pavement	<u>07/12</u>		<u>12/08</u>	
WP-2	303.02	Pavement Widening			<u>12/08</u>	
RS-1	304.01	Continuous Shoulder Rumble Strips	<u>10/09</u>		<u>12/08</u>	<u>IIS03_03</u>

## VDOT 2008 <u>Road and Bridge Standards</u> Section 300 - Pavement Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet	
RS-3	304.02	Centerline Rumble Strips	<u>10/09</u>							<u>12/08</u>	<u>IIS03_04</u>
RS-4	304.03	Continuous Shoulder Rumble Stripes NEW	<u>08/10</u>	<u>10/09</u>							<u>IIS03_05</u>
RS-5	304.04	Intermittent Shoulder Rumble Strips NEW	<u>08/10</u>	<u>10/09</u>							<u>IIS03_06</u>
TPT-1	305.01	Transverse Pavement Tie-in VOID								<u>12/08</u>	
ACOT-1	305.01	Asphalt Concrete Overlay Transition <b>NEW</b>	<u>07/12</u>	<u>08/10</u>							<u>IIS03_07</u>