VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

Standard	Page	Title	Current Revision	Previous Revisions	Origina Standard	
PR-2	301.01	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints			12/08	
	301.02	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints			12/08	
	301.03	Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints			12/08	
	301.04	Standard Load Transfer Assembly Contraction Joints			12/08	
	301.05	Standard Load Transfer Assembly Expansion Joints			12/08	
PR-3	301.06	8" Continuously Reinforced Concrete Pavement (Wire Mesh Reinforcement)			12/08	
	301.07	8" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)			12/08	
F H-3	301.08	8" Continuously Reinforced Concrete Pavement (for use with Bar or Wire Mesh Reinforcement)			12/08	
	301.09	8" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)	04/09		12/08	<u>IIS03_01</u>
	301.10	9" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)			12/08	
PR-4	301.11	9" Continuously Reinforced Concrete Pavement (for use with Bar Reinforcement only)			12/08	
	301.12	9" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)	04/09		12/08	<u>IIS03_02</u>
PR-5	301.13	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			12/08	
	301.14	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			12/08	
	301.15	9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane			12/08	

VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

Standard PR-6	Page 301.16	10" Continuously Rainforced Concrete Payament 14	Current Revision	Previous Revisions					Insertable Sheet
								<u>12/08</u>	
	301.17	10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						12/08	
	301.18	10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
PR-7	301.19	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						12/08	
	301.20	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						12/08	
	301.21	11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						12/08	
PR-8	301.22	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
	301.23	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
	301.24	12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
PR-9	301.25	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
	301.26	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
	301.27	13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane						<u>12/08</u>	
XJ-1	302.01	Bridge Approach Expansion Joint (for Widening or Maintenance of Existing XJ-1 Only)						<u>12/08</u>	
	302.02	Bridge Approach Expansion Joint (Installation Criteria)						12/08	
WP-1	303.01	Method of Widening Bridge Approach Pavement						12/08	
WP-2	303.02	Pavement Widening						12/08	
RS-1	304.01	Continuous Shoulder Rumble Strips	10/09					<u>12/08</u>	IIS03 03

VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet	
RS-3	304.02	Centerline Rumble Strips	10/09							<u>12/08</u>	<u>IIS03_04</u>
RS-4	304.03	Continuous Shoulder Rumble Stripes NEW	<u>08/10</u>	10/09							<u>IIS03_05</u>
RS-5	304.04	Intermittent Shoulder Rumble Strips NEW	<u>08/10</u>	10/09							<u>IIS03_06</u>
TPT-1	305.01	Transverse Pavement Tie-in VOID								12/08	
ACOT-1	305.01	Asphalt Concrete Overlay Transition NEW	<u>08/10</u>								<u>IIS03_07</u>