## VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

| Standard | Page   | Title   | Current<br>Revision | Previous Re | Original<br>Standard | Insertable<br>Sheet |                 |
|----------|--------|---|---------------------|-------------|----------------------|---------------------|-----------------|
| PR-2     | 301.01 | Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints |                     |             |                      | <u>12/08</u>        |                 |
|          | 301.02 | Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints |                     |             |                      | <u>12/08</u>        |                 |
|          | 301.03 | Plain and Reinforced Concrete Pavement Showing Reinforcment, Logitudinal, and Transverse Joints |                     |             |                      | <u>12/08</u>        |                 |
|          | 301.04 | Standard Load Transfer Assembly Contraction Joints  |                     |             |                      | 12/08               |                 |
|          | 301.05 | Standard Load Transfer Assembly Expansion Joints  |                     |             |                      | 12/08               |                 |
|          | 301.06 | 8" Continuously Reinforced Concrete Pavement (Wire Mesh Reinforcement)                          |                     |             |                      | <u>12/08</u>        |                 |
| PR-3     | 301.07 | 8" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)                          |                     |             |                      | 12/08               |                 |
|          | 301.08 | 8" Continuously Reinforced Concrete Pavement (for use with Bar or Wire Mesh Reinforcement)      |                     |             |                      | <u>12/08</u>        |                 |
|          | 301.09 | 8" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)                           | 04/09               |             |                      | 12/08               | <u>IIS03_01</u> |
|          | 301.10 | 9" Continuously Reinforced Concrete Pavement (Steel Bar Reinforcement)                          |                     |             |                      | <u>12/08</u>        |                 |
| PR-4     | 301.11 | 9" Continuously Reinforced Concrete Pavement (for use with Bar Reinforcement only)              |                     |             |                      | 12/08               |                 |
|          | 301.12 | 9" Continuously Reinforced Concrete Pavement (Leave out Joint Detail)                           | 04/09               |             |                      | 12/08               | <u>IIS03_02</u> |
| PR-5     | 301.13 | 9" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                                |                     |             |                      | 12/08               |                 |
|          | 301.14 | 9" Continuously Reinforced Concrete Pavement 14<br>Foot Travel Lane                             |                     |             |                      | 12/08               |                 |
|          | 301.15 | 9" Continuously Reinforced Concrete Pavement 14<br>Foot Travel Lane                             |                     |             |                      | <u>12/08</u>        |                 |

## VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

| Standard<br>PR-6 | <b>Page</b> 301.16 | Title  10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane            | Current<br>Revision | Previous Revisions | Original<br>Standard | Insertable<br>Sheet |
|------------------|--------------------|---|---------------------|--------------------|----------------------|---------------------|
|                  |                    |   |                     |                    | <u>12/08</u>         |                     |
|                  | 301.17             | 10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | <u>12/08</u>         |                     |
|                  | 301.18             | 10" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | <u>12/08</u>         |                     |
| PR-7             | 301.19             | 11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | <u>12/08</u>         |                     |
|                  | 301.20             | 11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | <u>12/08</u>         |                     |
|                  | 301.21             | 11" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | <u>12/08</u>         |                     |
| PR-8             | 301.22             | 12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
|                  | 301.23             | 12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
|                  | 301.24             | 12" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
| PR-9             | 301.25             | 13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
|                  | 301.26             | 13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
|                  | 301.27             | 13" Continuously Reinforced Concrete Pavement 14 Foot Travel Lane                   |                     |                    | 12/08                |                     |
| XJ-1             | 302.01             | Bridge Approach Expansion Joint (for Widening or Maintenance of Existing XJ-1 Only) |                     |                    | 12/08                |                     |
|                  | 302.02             | Bridge Approach Expansion Joint (Installation Criteria)                             |                     |                    | 12/08                |                     |
| WP-1             | 303.01             | Method of Widening Bridge Approach Pavement   |                     |                    | 12/08                |                     |
| WP-2             | 303.02             | Pavement Widening   |                     |                    | 12/08                |                     |
| RS-1             | 304.01             | Continuous Shoulder Rumble Strips   |                     |                    | 12/08                |                     |

## VDOT 2008 Road and Bridge Standards Section 300 - Pavement Items

| Standard | Page   | Title                      | Current<br>Revision | Previous Revisions |  |  |  | Original<br>Standard | Insertable<br>Sheet |  |
|----------|--------|----------------------------|---------------------|--------------------|--|--|--|----------------------|---------------------|--|
| RS-3     | 304.02 | Centerline Rumble Strips   |                     |                    |  |  |  |                      | <u>12/08</u>        |  |
| TPT-1    | 305.01 | Transverse Pavement Tie-in |                     |                    |  |  |  |                      | <u>12/08</u>        |  |