

# Environmental Compliance Report

Project #:	Project Name:	Report Date:
District:	Residency:	County:
Inspector/Maintenance Superintendent:	Contractor:	Monitor:
Type of Review: <input type="checkbox"/> First Review <input type="checkbox"/> Routine Review <input type="checkbox"/> Final Review		
Type of Permits:		
Type of Project: <input type="checkbox"/> Construction <input type="checkbox"/> Maintenance <input type="checkbox"/> Capital Outlay <input type="checkbox"/> Design-Build <input type="checkbox"/> Locally Administered <input type="checkbox"/> Enhancement <input type="checkbox"/> PPTA <input type="checkbox"/> Other		
Project Status: <input type="checkbox"/> Non-compliant <input type="checkbox"/> Compliant		
<input type="checkbox"/> Immediate and continuous corrective action required at the time of this review.		Non-Compliant
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has sediment left the project limits because perimeter controls as shown in the approved erosion and sediment control plan were not installed, improperly installed, not maintained, or damaged by project activities?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with applicable burn laws/regulations?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with commitments for historic properties (architectural and/or archaeological)?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with the specified time of year restriction in environmental commitments?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with the countersinking requirements for pipes and culverts?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with environmental commitments for the restoration of temporary impact areas to their preexisting conditions?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Is the project out of compliance with the specification timeframe for applying stabilization?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has an unapproved support facility been used or is currently being used since the last ECR review? (ex. disposal area, staging area, storage area, borrow pit, etc.)?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has vegetative waste or solid waste been buried on VDOT or private property?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Have pollutants been discharged or placed into or alongside rivers, streams, wetlands, or impoundments or into channels leading to them? (ex. chemicals, fuels, lubricants, bitumen, raw sewage, paints, or other harmful materials)?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has work started without acquisition of appropriate permits?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has material, excavation, fill, or equipment impacted jurisdictional wetlands and/or streams exceeding that allowed by environmental commitments?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has fill been placed with the FEMA mapped floodplain exceeding that allowed by environmental commitments?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has wet or uncured concrete entered waters exceeding that allowed by environmental commitments?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Have activities in critical resource waters, breeding or nesting areas of migratory waterfowl, and/or shellfish beds exceeded that allowed by environmental commitments?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Has the project resulted in an impoundment of water or created a stream/waterway obstruction exceeding that allowed by environmental commitments?	

Item #	VDOT specification, standard, or environmental commitment	Environmental Program	Correct by the close of business today.	Correct within 24 hours of today.	Description of Issue/Deficiency/Recommendations
			<input data-bbox="604 224 636 256" type="checkbox"/>	<input data-bbox="837 224 870 256" type="checkbox"/>	