

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
EW-1 EW-1A	101.01	Standard Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes							<a href="#">2/01</a>	
EW-1PC EW-1APC	101.02	Precast Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes							<a href="#">2/01</a>	
EW-2 EW-2A	101.03	Standard Endwall for Pipe Culverts 42" - 96" Circular and 60" X 38" - 106" X 68" Elliptical Pipes							<a href="#">2/01</a>	
	101.04	Standard Endwall for Pipe Culverts 42" - 96" Circular Pipes							<a href="#">2/01</a>	
	101.05	Standard Endwall for Pipe Culverts 60" X 38" - 106" X 68" Elliptical Pipes							<a href="#">2/01</a>	
EW-2 PC	101.06	Precast Endwall for 42" - 96" Circular Pipe Culverts							<a href="#">2/01</a>	
EW-2A PC	101.07	Precast Endwall for 60" x 38" - 106" x 68" Elliptical Pipe Culverts							<a href="#">2/01</a>	
EW-2S	101.08	Standard Endwalls for 42" - 96" Pipe Culverts 30 and 45 Degree Skews							<a href="#">2/01</a>	
	101.09	Standard Endwalls for 42" - 96" Pipe Culverts 30 and 45 Degree Skews							<a href="#">2/01</a>	
EW-2S PC	101.10	Precast Endwalls for Multiple Pipe Culverts							<a href="#">2/01</a>	
EW-6	101.11	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							<a href="#">2/01</a>	
EW-6 PC	101.12	Precast Endwall for Multiple Pipe Culverts							<a href="#">2/01</a>	
EW-6S	101.13	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 30 Degree Skew							<a href="#">2/01</a>	
	101.14	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							<a href="#">2/01</a>	
EW-6 PC	101.15	Precast Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 30 Degree Skew							<a href="#">2/01</a>	
	101.16	Precast Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							<a href="#">2/01</a>	
EW-7	101.17	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe							<a href="#">2/01</a>	

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
EW-7 PC	101.18	Precast Endwalls for Multiple Pipe Culverts 42" - 96"								<a href="#">2/01</a>	
EW-7S	101.19	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 30 Degree Skew	<a href="#">7/01</a>							<a href="#">2/01</a>	
	101.20	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 30 Degree Skew								<a href="#">2/01</a>	
EW-7S PC	101.21	Precast Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 45 Degree Skew								<a href="#">2/01</a>	
EW-9	101.22	Endwalls for Pipe Arches 13" - 38" Rise								<a href="#">2/01</a>	
EW-9 PC	101.23	Precast Endwalls for Pipe Arches 13" - 38" Rise								<a href="#">2/01</a>	
EW-10	101.24	Endwalls for Multiple Pipe Arches 13" - 38" Rise								<a href="#">2/01</a>	
EW-10 PC	101.25	Precast Endwalls for Multiple Pipe Arches 13" - 38" Rise								<a href="#">2/01</a>	
EW-11	101.26	Precast Endwalls with Load-Carrying Grate for 12" - 60" Pipes	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-194</a>
	101.27	Pipe Endwalls with Load-Carrying Grate for 12" - 60" Pipes								<a href="#">2/01</a>	
	101.28	Pipe Endwalls with Load-Carrying Grate for 12" - 60" Pipes								<a href="#">2/01</a>	
EW-11A	101.29	Pipe Endwalls with Load-Carrying Grate for 12" - 24" Pipes								<a href="#">2/01</a>	
	101.30	Pipe Endwalls with Load-Carrying Grate for 12" - 24" Pipes								<a href="#">2/01</a>	
EW-11A PC	101.31	Precast Pipe Endwall with Load-Carrying Grate for 12" - 24" Pipe								<a href="#">2/01</a>	
EW-12	101.32	Endwalls for Pipe Underdrain	<a href="#">7/04</a>	<a href="#">7/03</a>						<a href="#">2/01</a>	<a href="#">A-57</a>
ES-1	102.01	Flared End-Section for Concrete Pipe Culverts (12"-60")	<a href="#">7/01</a>							<a href="#">2/01</a>	<a href="#">A-142</a>
ES-1A	102.02	Flared End-Section for 23" x 14" to 53" x 34" Elliptical Concrete Pipe Culverts	<a href="#">7/01</a>							<a href="#">2/01</a>	<a href="#">A-130</a>
ES-2	102.03	Flared End-Section for 12" - 60" Corrugated Pipe Culverts	<a href="#">7/01</a>							<a href="#">2/01</a>	<a href="#">A-142</a>
ES-3	102.04	Flared End-Section for Metal Pipe Arches 13" - 47" Rise								<a href="#">2/01</a>	

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
	103.01	Precast Unit Assembly Diagram								<a href="#">2/01</a>	
	103.02	Legend & General Notes - Precast	<a href="#">7/05</a>							<a href="#">2/01</a>	
T-DI-1	103.03	Precast Top Unit - DI-1								<a href="#">2/01</a>	
T-DI-2	103.04	Precast Top Unit - DI-2	<a href="#">3/03</a>							<a href="#">2/01</a>	<a href="#">A-148</a>
T-DI-3, 4	103.05	Precast Top Unit - DI-3, DI-4	<a href="#">3/03</a>							<a href="#">2/01</a>	<a href="#">A-148</a>
	103.06	Precast Top Unit - DI-3, DI-4								<a href="#">2/01</a>	
T-DI-5	103.07	Precast Top Unit - DI-5	<a href="#">7/05</a>							<a href="#">2/01</a>	
T-DI-7	103.08	Precast Top Unit - DI-7	<a href="#">7/05</a>							<a href="#">2/01</a>	
T-MH-2	103.09	Precast Manhole Top Units								<a href="#">2/01</a>	
R-1, 2, 3	103.10	Precast Reducer and Riser Units								<a href="#">2/01</a>	
B-1, 2	103.11	Precast Base Units								<a href="#">2/01</a>	
B-3	103.12	Precast Base Unit								<a href="#">2/01</a>	
B-4	103.13	Corrugated Metal Base Unit								<a href="#">2/01</a>	
DI-1	104.01	Standard Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 10'	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-190</a>
DI-1A	104.02	Standard Drop Inlet 12"-24" Pipe: Depth (H) = 10' to 20'	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-190</a>
DI-2A, 2B, 2C	104.03	Standard Curb Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 9'	<a href="#">7/05</a>	<a href="#">1/04</a>						<a href="#">2/01</a>	<a href="#">A-153</a>
	104.04	Dimensions & Quantities	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-191</a>
DI-2AA, 2BB, 2CC	104.05	Standard Curb Drop Inlet 12"-24" Pipe: Depth (H) = 9' to 20'								<a href="#">2/01</a>	
DI-2D, 2E, 2F	104.06	Standard Curb Drop Inlet 30"-48" Pipe: Maximum Depth (H) = 9'	<a href="#">7/05</a>	<a href="#">1/04</a>						<a href="#">2/01</a>	<a href="#">A-153</a>

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
DI-2D, 2E, 2F	104.07	Dimensions & Quantities							<a href="#">2/01</a>	
DI-2DD, 2EE, 2FF	104.08	Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 9' to 20'							<a href="#">2/01</a>	
DI-3A, 3B, 3C	104.09	Standard Curb Drop Inlet 12"-30" Pipe: Maximum Depth (H) = 8'							<a href="#">2/01</a>	
	104.10	Dimensions & Quantities							<a href="#">2/01</a>	
DI-3AA, 3BB, 3CC	104.11	Standard Curb Drop Inlet 12"-30" Pipe: Depth (H) = 8' to 20'							<a href="#">2/01</a>	
DI-3D, 3E, 3F	104.12	Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Maximum Depth (H) = 8'	<a href="#">7/02</a>	<a href="#">7/01</a>					<a href="#">2/01</a>	
	104.13	Dimensions & Quantities							<a href="#">2/01</a>	
DI-3DD, 3EE, 3FF	104.14	Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Depth (H) = 8' to 20'							<a href="#">2/01</a>	
DI-4A, 4B, 4C	104.15	Standard Curb Drop Inlet 36"-48" Pipe: Maximum Depth (H) = 8'							<a href="#">2/01</a>	
	104.16	Dimensions & Quantities							<a href="#">2/01</a>	
DI-4AA, 4BB, 4CC	104.17	Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 8' to 20'							<a href="#">2/01</a>	
DI-4D, 4E, 4F	104.18	Standard Curb Drop Inlet (with Utility Space) 36" - 48" Pipe: Maximum Depth (H) = 8'							<a href="#">2/01</a>	
	104.19	Dimensions & Quantities							<a href="#">2/01</a>	
DI-4DD, 4EE, 4FF	104.20	Standard Curb Drop Inlet (with Utility Space) 36" - 48" Pipe: Depth (H) = 8' to 16'							<a href="#">2/01</a>	
DI-5	104.21	Standard Ditch Drop Inlet	<a href="#">7/05</a>						<a href="#">2/01</a>	
DI-7, 7A, 7B	104.22	Standard Median Drop Inlet 12" - 42" Pipe							<a href="#">2/01</a>	
	104.23	Cover & Gutter Details	<a href="#">7/05</a>						<a href="#">2/01</a>	
	104.24	Standard DI-7, 7A, or 7B with Flume Connection 12" to 36" Pipe							<a href="#">2/01</a>	
DI-9	104.25	15" Pipe Tee Section Drop Inlet	<a href="#">7/04</a>						<a href="#">2/01</a>	<a href="#">A-158</a>

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
DI-10G, 10H, 10I	104.26	Concrete Median Barrier Drop Inlet							<a href="#">2/01</a>		
	104.27	Quantities & Dimensions							<a href="#">2/01</a>		
DI-10J, 10K, 10L	104.28	Concrete Median Barrier Drop Inlet							<a href="#">2/01</a>		
	104.29	Concrete Median Barrier Drop Inlet	<a href="#">7/02</a>	<a href="#">7/01</a>					<a href="#">2/01</a>	<a href="#">A-100</a>	
DI-12, 12A	104.30	Multigrate Drop Inlet for Pipe Sizes 12" - 72"							<a href="#">2/01</a>		
	104.31	Grate Details	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/05</a>				<a href="#">2/01</a>	<a href="#">A-163</a>	
	104.32	Quantities & Dimensions							<a href="#">2/01</a>		
DI-12B, 12C	104.33	Multigrate Drop Inlet for Pipe Sizes 12" - 36"	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/05</a>				<a href="#">2/01</a>	<a href="#">A-164</a>	
	104.34	Grate Details & Quantities	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/05</a>				<a href="#">2/01</a>	<a href="#">A-164</a>	
DI-13	104.35	Shoulder Slot Inlet	<a href="#">8/07</a>						<a href="#">2/01</a>	<a href="#">A-165</a>	
	104.36	Shoulder Slot Inlet	<a href="#">8/07</a>	<a href="#">7/05</a>					<a href="#">2/01</a>	<a href="#">A-165</a>	
PI-1	104.37	Method of Outlet Pipe Installation for DI-13							<a href="#">2/01</a>		
DI-14A, 14B, 14C	104.38	Concrete Median Barrier Drop Inlet (Tall Wall)	<a href="#">2/06</a>						<a href="#">2/01</a>	<a href="#">A-170</a>	
DI-14A, 14B, 14C	104.39	Quantities & Dimensions	<a href="#">2/06</a>						<a href="#">2/01</a>	<a href="#">A-170</a>	
DI-14D, 14E, 14F	104.40	Concrete Median Barrier Drop Inlet (Tall Wall)	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">A-102</a>	
	104.41	Concrete Median Barrier Drop Inlet (Tall Wall)	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">A-102</a>	
DI-MB	104.42	Concrete Masonry Block Curb Drop Inlet							<a href="#">2/01</a>		
IC-2	105.01	Standard Inlet Frame and Cover	<a href="#">8/07</a>						<a href="#">2/01</a>	<a href="#">A-192_1</a>	
	105.02	Standard Inlet Frame and Cover	<a href="#">8/07</a>						<a href="#">2/01</a>	<a href="#">A-192_1</a>	

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
IC-2	105.03	Precast Inlet and Frame Cover	<a href="#">8/07</a>						<a href="#">2/01</a>	<a href="#">A-192 2</a>
MH-1	106.01	Manhole for 12" to 48" Pipe Culvert	<a href="#">7/01</a>						<a href="#">2/01</a>	
	106.02	Standard Manhole Frame and Cover							<a href="#">2/01</a>	
	106.03	Standard Manhole Frame and Cover							<a href="#">2/01</a>	
	106.04	Standard Manhole Frame and Cover	<a href="#">7/02</a>						<a href="#">2/01</a>	<a href="#">A-20</a>
	106.05	Standard Manhole Frame and Cover							<a href="#">2/01</a>	
MH-1A	106.06	Standard Manhole Frame and Cover							<a href="#">2/01</a>	
MH-2	106.07	Precast Manhole							<a href="#">2/01</a>	
IS-1	106.08	Method for Shaping Manhole and Inlet Culverts							<a href="#">2/01</a>	
ST-1	106.09	Standard Step							<a href="#">2/01</a>	
JB-1	106.10	Junction Box Chamber Details for 48" - 72" Pipe Culverts							<a href="#">2/01</a>	
	106.11	Junction Box Details for Angular Connections of 48" 72" Pipe Culverts							<a href="#">2/01</a>	
	106.12	Junction Box Tower Details for 48" - 72" Pipe Culverts							<a href="#">2/01</a>	
	106.13	Junction Box Displacement Quantities for 48" - 72" Pipe Culverts							<a href="#">2/01</a>	
SL-1	106.14	Typical Concrete Safety Slab for Drop Inlets, Manholes & Junction Boxes	<a href="#">7/05</a>						<a href="#">2/01</a>	<a href="#">A-62</a>
DSB-1	106.15	Drainage Structure Bedding							<a href="#">9/06</a>	<a href="#">A-186</a>
PB-1	107.00	Installation of Pipe Culverts and Storm Sewers Circular Pipe Bedding and Backfill - Notes							<a href="#">1/04</a>	<a href="#">A-151</a>
PB-1	107.01	Installation of Pipe Culverts and Storm Sewers Circular Pipe Bedding and Backfill - Method "A"	<a href="#">8/07</a>	<a href="#">7/05</a>	<a href="#">1/04</a>				<a href="#">2/01</a>	<a href="#">A-86</a>

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
PB-1	107.02	Installation of Pipe Culverts and Storm Sewers Elliptical Pipe Bedding and Backfill - Method "A"	<a href="#">8/07</a>	<a href="#">7/05</a>	<a href="#">7/04</a>	<a href="#">1/04</a>				<a href="#">2/01</a>	<a href="#">A-86</a>
	107.03	Installation of Pipe Culverts and Storm Sewers Pipe Arch Bedding and Backfill	<a href="#">8/07</a>	<a href="#">7/05</a>	<a href="#">1/04</a>					<a href="#">2/01</a>	<a href="#">A-120</a>
	107.04	Installation of Pipe Culvert Bedding and Backfill Method "A"	<a href="#">1/04</a>							<a href="#">2/01</a>	<a href="#">A-120</a>
PC-1	107.05	Concrete Pipe - Class Table for H-20 Live Load	<a href="#">7/05</a>	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">A-166-1</a>
	107.06	Elliptical Concrete Pipe - Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-1</a>
	107.07	Corrugated Steel Pipe - Height of Cover Table for H-20 Live Loading	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-2</a>
	107.08	Corrugated Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-2</a>
	107.09	Corrugated Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-3</a>
	107.10	Corrugated Steel Pipe Arch - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-3</a>
	107.11	Corrugated Aluminum Alloy Pipe Arch - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-4</a>
	107.12	Structural Plate Steel Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-4</a>
	107.13	Structural Plate Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-5</a>
	107.14	Structural Plate Steel Pipe Arch - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-5</a>
	107.15	Structural Plate Steel Pipe Arch - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-6</a>
	107.16	Structural Plate Aluminum Alloy Pipe Arch - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-6</a>
	107.17	Aluminum Spiral Rib Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-7</a>
	107.18	Steel Spiral Rib Pipe - Height of Cover Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-7</a>
	107.19	Cast Iron Pipe - Strength Table for H-20 Live Load	<a href="#">7/05</a>							<a href="#">2/01</a>	<a href="#">A-166-8</a>

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
PC-1	107.20	Vitrified Clay and Plastic Pipe - Maximum Cover Table for H-20 Load	<a href="#">9/06</a>	<a href="#">7/05</a>	<a href="#">7/01</a>					<a href="#">2/01</a>	<a href="#">A-166-8</a>
	107.20A	Allowable Pipe Criteria for Culverts and Storm Sewers	<a href="#">9/06</a>							<a href="#">7/05</a>	<a href="#">A-166-9</a>
	107.21	Allowable Pipe Criteria for Culverts and Storm Sewers	<a href="#">9/06</a>	<a href="#">7/05</a>						<a href="#">2/01</a>	<a href="#">A-166-9</a>
PP-1	107.22	Details for Backfilling Abandoned Culverts								<a href="#">2/01</a>	
UD-1	108.01	Standard Groundwater Underdrain	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-80</a>
UD-2	108.02	Pipe Underdrain for use with Raised Grass Median Strips	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-80</a>
UD-3	108.03	Standard Sidewalk Underdrain	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-55</a>
CD-1	108.04	Standard Combination Underdrains (at lower end of cuts)	<a href="#">8/07</a>	<a href="#">7/03</a>						<a href="#">2/01</a>	<a href="#">A-84</a>
CD-2	108.05	Standard Combination Underdrains (at grade sags and bridge approaches)	<a href="#">8/07</a>	<a href="#">7/03</a>						<a href="#">2/01</a>	<a href="#">A-84</a>
UD-4	108.06	Standard Pavement Edgedrain	<a href="#">8/07</a>	<a href="#">1/04</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-81</a>
	108.07	Standard Pavement Edgedrain	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-81</a>
UD-5	108.08	Prefabricated Geocomposite Retrofit Pavement Edgedrain	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-82</a>
UD-7	108.09	Standard Retrofit Edgedrain	<a href="#">8/07</a>	<a href="#">2/06</a>	<a href="#">7/03</a>					<a href="#">2/01</a>	<a href="#">A-83</a>
PG-2A	109.01	Standard Paved Ditches	<a href="#">7/04</a>	<a href="#">7/02</a>						<a href="#">2/01</a>	<a href="#">ISD-570</a>
PG-3	109.01a	Standard Rip Rap Ditch and Slope Protection								<a href="#">7/03</a>	<a href="#">ISD-570</a>
PG-4	109.02	Standard Paved Flume for 12" - 24" Pipe Culverts								<a href="#">2/01</a>	
PG-5	109.03	Standard Paved Ditches								<a href="#">2/01</a>	
PG-6A, 6B	109.04	Standard Precast Paved Ditches								<a href="#">2/01</a>	
PG-7	109.05	Ditch Flume Connector	<a href="#">7/02</a>							<a href="#">2/01</a>	<a href="#">ISD-564A</a>

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
SB-1	110.01	Standard Spring Box	<a href="#">3/03</a>	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">A-143</a>
SB-1 PC	110.02	Precast Spring Box	<a href="#">3/03</a>	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">A-143</a>
EG-1, 1A	111.01	Standard Energy Dissipator for use with Paved Flume								<a href="#">2/01</a>	
EG-1, 1A PC	111.02	Precast Energy Dissipator								<a href="#">2/01</a>	
PS-2	112.01	Standard Pipe Spillout for 12" - 18" Pipe Culverts								<a href="#">2/01</a>	
PS-3	112.02	Standard Pipe Spillout for 21" - 30" Pipe Culverts								<a href="#">2/01</a>	
TD-CL	113.01	Temporary Diversion Channel & Acceptance Linings								<a href="#">2/01</a>	
EC-1	114.01	Stone for Erosion Control	<a href="#">8/07</a>	<a href="#">9/06</a>						<a href="#">2/01</a>	<a href="#">A-69</a>
EC-2	114.02	Protective Covering Installation Criteria								<a href="#">2/01</a>	
EC-3	114.03	Soil Stabilization Criteria	<a href="#">8/07</a>	<a href="#">7/05</a>						<a href="#">2/01</a>	<a href="#">A-70-1</a>
	114.03A	Soil Stabilization Mat Culvert Outlet Protection Installation								<a href="#">8/07</a>	<a href="#">A-70-1</a>
	114.04	Soil Stabilization Mat Slope Installation	<a href="#">8/07</a>							<a href="#">2/01</a>	<a href="#">A-70-2</a>
EC-4	114.05	Rock Check Dam Type I & II								<a href="#">2/01</a>	
EC-5	114.06	Temporary Silt Fence and Filter Barrier	<a href="#">9/06</a>	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-414-1</a>
EC-6	114.07	Drop Inlet Silt Trap (Type A and B)	<a href="#">3/03</a>	<a href="#">7/01</a>						<a href="#">2/01</a>	<a href="#">ISD-414-2</a>
EC-7	114.08	Typical Sediment Trap								<a href="#">2/01</a>	
EC-8	114.09	Dewatering Basin								<a href="#">2/01</a>	
EC-9	114.10	Temporary Diversion Dike								<a href="#">2/01</a>	

**VDOT 2001 Road and Bridge Standards**  
**Section 100 - Drainage Items**

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
ESC-INS	115.01	Temporary Erosion & Siltation Control	<a href="#">7/04</a>	<a href="#">1/04</a>	<a href="#">3/03</a>				<a href="#">2/01</a>	<a href="#">ISD-414-4</a>
	115.02	Temporary Erosion & Siltation Control							<a href="#">2/01</a>	
ESC-INS	115.03	Temporary Erosion & Siltation Control							<a href="#">2/01</a>	
SWM-1	116.01	Cast-In-Place Stormwater Management Drainage Structure	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-2216</a>
	116.02	Precast Stormwater Management Drainage Structure	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-2216</a>
	116.03	Stormwater Management Drainage Structure (SWM) Details	<b>VOID 3/03</b>						<a href="#">2/01</a>	
SWM-DR	116.04	Stormwater Management (SWM) Details	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-2216A</a>
	116.05	Stormwater Management (SWM) Details	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-2209</a>
	116.06	Stormwater Management (SWM) Details	<a href="#">3/03</a>						<a href="#">2/01</a>	<a href="#">ISD-2209</a>
	116.07	Stormwater Management (SWM) Details							<a href="#">3/03</a>	<a href="#">ISD-2216A</a>
	116.08	Stormwater Management (SWM) Details							<a href="#">3/03</a>	<a href="#">ISD-2216A</a>