


PROJECT MANAGER _____
 SURVEYED BY _____
 DESIGN SUPERVISED BY _____
 DESIGNED BY _____

DESIGN FEATURES RELATING TO CONSTRUCTION OR TO REGULATION AND CONTROL OF TRAFFIC MAY BE SUBJECT TO CHANGE AS DEEMED NECESSARY BY THE DEPARTMENT

REVISED	STATE	FEDERAL AID	ROUTE	STATE	SHEET NO.
	VA.	PROJECT		PROJECT	

LP-3



NOTES:

WINCH ASSEMBLY AND CIRCUIT BREAKER TO BE ACCESSIBLE FROM HAND HOLE

TYPE 9 POLES SHALL BE OF SUFFICIENT HEIGHT TO PROVIDE A LUMINAIRE MOUNTING HEIGHT ABOVE THE ROADWAY SURFACE AS INDICATED ON THE PLANS.

THE MOUNTING HEIGHTS SHOWN ON THE PLANS FOR A TYPE 9 POLE SHALL BE ADHERED TO WITHIN A TOLERANCE OF 3 FEET AND IN NO CASE BE LESS THAN THE MOUNTING HEIGHT SHOWN.

REFER TO STANDARD MP-2 FOR GROUNDING LUG DETAIL.

TYPE	H
1	70'
2	80'
3	90'
4	100'
5	110'
6	120'
7	130'
8	140'
9	VARIABLE

SPECIFICATION REFERENCE	HIGH MAST LIGHT POLE DETAILS	VDOT ROAD AND BRIDGE STANDARDS	
700 705	VIRGINIA DEPARTMENT OF TRANSPORTATION	REVISION DATE 06-15-2009	SHEET 1 OF 1 1311.20