



RISER		DIMENSION						APPROX. WT. (LBS.)
I.D.	O.D.	A	B	C	D	E		
24	30	31	28 ⁵ / ₈	7	11	27	24	
36	44	45	41 ¹ / ₂	13	19	40	58	
48	58	59	54 ¹ / ₂	13	21	53	86	
60	72	73	67 ¹ / ₂	17	28	66	135	
72	86	87	80 ³ / ₈	23	35	79	204	
84	100	101	93 ³ / ₄	25	39	92	266	
96	114	115	106 ¹ / ₄	22	38	105	305	

HIGH DENSITY POLYETHYLENE

NOTES:
 1. A HINGED, LOCKABLE ACCESS DOOR SHALL BE PROVIDED ON ALL TRASH RACKS IF THE TOTAL WEIGHT OF THE TRASH RACK IS GREATER THAN 75 LBS OR IF THE TRASH RACK IS TO BE PLACED ON A SWM-1 WITH AN "H" DIMENSION GREATER THAN 7'-2".

RISER		DIMENSION						APPROX. WT. (LBS.)
I.D.	O.D.	A	B	C	D	E	SEGMENT	
24	30	30	6	7	10	27	15	46
36	44	42	6	13	18	40	22	82
48	58	55	9	13	20	53	29	120
60	72	68	9	17	26	66	36	169
72	86	81	9	23	34	79	42	227
84	100	94	12	25	37	92	49	290
96	114	107	12	22	36	105	56	341

METAL

2. ANTI-VORTEX PLATE IS TO BE USED WHEN SPECIFIED ON THE PLANS. COST OF FURNISHING AND PLACING THE ANTI-VORTEX PLATE IS TO BE INCLUDED IN THE BID PRICE FOR THE STRUCTURE.

SPECIFICATION REFERENCE 302	<h2 style="margin: 0;">STORMWATER MANAGEMENT (SWM) DETAILS TRASH RACK FOR STORMWATER MANAGEMENT DRAINAGE STRUCTURES</h2> <p style="margin: 0;">VIRGINIA DEPARTMENT OF TRANSPORTATION</p>	NEW 3/03 116.07
------------------------------------	--	--------------------