



FOUNDATION TYPES

STP-2 FOUNDATION TYPE	OPTION A									OPTION B	
	DIA. (D)	DEPTH (d)	BAR P			BAR H			LENGTH	SQ. FT.	
			LENGTH	BAR SIZE	NO.	BAR SIZE	NO.				
A	2'-0"	6'-0"	5'-6"	#5	8	#4	7	6'-0"	5'-6"	33	
B	2'-0"	7'-0"	6'-6"	#6	8	#4	8	6'-0"	6'-6"	40	
C	2'-0"	7'-6"	7'-0"	#7	8	#4	8	6'-0"	7'-0"	42	
D	2'-0"	8'-0"	7'-6"	#7	8	#4	9	6'-0"	7'-6"	45	
E	2'-0"	8'-6"	8'-0"	#7	8	#4	10	6'-0"	8'-0"	48	
F	2'-6"	5'-6"	5'-0"	#5	8	#4	6	7'-7"	5'-0"	37	
G	2'-6"	6'-0"	5'-6"	#5	8	#4	7	7'-7"	5'-6"	40	
H	2'-6"	6'-6"	6'-0"	#6	8	#4	7	7'-7"	6'-0"	44	
I	2'-6"	7'-0"	6'-6"	#6	8	#4	8	7'-7"	6'-6"	47	
J	2'-6"	8'-0"	7'-6"	#6	8	#4	9	7'-7"	7'-6"	57	
K	2'-6"	8'-6"	8'-0"	#7	8	#4	10	7'-7"	8'-0"	61	
L	2'-6"	9'-0"	8'-6"	#7	8	#4	10	7'-7"	8'-6"	65	
M	2'-6"	9'-6"	9'-0"	#7	8	#4	10	7'-7"	9'-0"	68	
N	3'-0"	6'-0"	5'-6"	#5	8	#4	8	9'-0"	5'-6"	50	
O	3'-0"	6'-6"	6'-0"	#6	8	#4	7	9'-0"	6'-0"	54	



ELEVATION



PLAN

NOTES:

1. FOR FOUNDATION SIZES SEE TABLE 1 (SHEET 6 OF 12) AND TABLE 2 (SHEET 7 OF 12).



ROAD AND BRIDGE STANDARDS

A COPY OF THE ORIGINAL SEALED AND SIGNED DRAWING IS ON FILE IN THE CENTRAL OFFICE.

FOUR INCH SQUARE TUBE SIGN POST
FOUNDATION TYPES AND REINFORCEMENT

VIRGINIA DEPARTMENT OF TRANSPORTATION

SPECIFICATION REFERENCE

700

SHEET 8 OF 12

REVISION DATE

1321.47

NEW 08/19