



NOTES:


1. 4" MAXIMUM PROJECTION WHEN MEASURED ABOVE A 60" CHORD ALIGNED RADIALLY TO THE CENTERLINE OF THE HIGHWAY AND CONNECTING ANY POINT, WITHIN THE LENGTH OF THE CHORD, ON THE GROUND SURFACE ON THE OTHER SIDE.
2. SEE STANDARD SSP-VIA FOR SHIM DETAIL.



**METHOD TO DETERMINE
MAXIMUM PROJECTION OF FOUNDATION STUB POST**



BOLT KEEPER PLATE



ALTERNATE BOLT KEEPER PLATE

BOLT KEEPER PLATE DATA

| POST SHAPE | A | B | C | D |
|------------|--------|--------|------|--------|
| S3 x 5.7 | 5 1/2" | 4 1/2" | 1/2" | 1" |
| W4 x 13 | 7 3/4" | 5 1/2" | 3/4" | 1 1/2" |
| W6 x 12 | 7 1/2" | 7" | 3/4" | 1 1/2" |

SPECIFICATION REFERENCE

700

A COPY OF THE ORIGINAL SEALED AND SIGNED DRAWING IS ON FILE IN THE CENTRAL OFFICE.

**VA SIGN STRUCTURE
INSTALLATION DETAILS**

VIRGINIA DEPARTMENT OF TRANSPORTATION

VDOT

ROAD AND BRIDGE STANDARDS

REVISION DATE

01/15

SHEET 4 OF 4

1322.13