

**Parcel numbers** are three-digit numbers beginning with 001 and are shown on the plan sheets in a 0.6 inch (15 mm) diameter circle. When subdivision lots are numbered, the lot numbers are to be shown in a fine line circle of 0.25 inch (6 mm) diameter in order to differentiate them from parcel numbers.

Demolition numbers begin with D-1 and are shown on the plans adjacent to, or within, the building, well or other significant structure. These numbers are not to be circled.

After a parcel or demolition number has been assigned, the same numbers are not to be reassigned to another parcel or building. For example, if the plans are revised to eliminate the need for right of way from a particular parcel, the parcel number will be removed from the plans, and not reassigned to another parcel.

Parcel and demolition numbers are furnished by the Right of Way Division at field inspection stage.

## WELLS

Wells to be closed are to be located and described (diameter and depth if available from Right of Way Division) on the plans and the assigned demolition number (D-1, D-2) shown adjacent to the well. Wells are to be summarized as "Closing Well" on an "Each" basis (reference VDOT's [Road and Bridge Specifications](#)). Any well house to be demolished is to be assigned a separate demolition number, although it may be attached to the well, and summarized as "Demolition of Building" (See [Chapter 2H, Figure 2H-26](#)).

## BUILDING DATA REPORT

The Right of Way Division will furnish a Building Data Report ninety days prior to advertisement. This report will confirm the regular demolition numbers (D-1, D-2, etc.) as well as furnish special "D" series numbers for underground storage tanks, "non-significant" signs or "non-significant" improvements/personal property on the project.

## UNDERGROUND STORAGE TANKS

Underground storage tanks to be removed are assigned D500 series numbers. The location of the tank is to be plotted on the plans with the D500 series number (D500, D501, etc.) and the capacity of the tank shown adjacent to it. Underground storage tanks are to be summarized as "Underground Storage Tank Removal (Type). Removal of the tank is paid for on an each basis, based on the size of the tank. (See [Chapter 2H, Figure 2H-26](#)).

	TYPE A	TYPE B	TYPE C	TYPE D
IMPERIAL	0-750 gals.	751-1500 gals.	1501-5000 gals.	5001 gals. & above
METRIC	0-2840 L	2841-5680 L	5681-18930 L	18931 L & above