

EXCEPTIONS:

1. All van parking spaces shall be permitted to be grouped on one level within a multi-story parking facility.
2. Parking spaces shall be permitted to be located in different parking facilities if substantially equivalent or greater accessibility is provided in terms of distance from an accessible entrance or entrances, parking fee, and user convenience.

Total Number of Parking Spaces Provided in Parking Facility	Minimum Number of Required Accessible Parking Spaces		
	Accessible Parking Spaces	Van-Accessible Parking Spaces	Total Accessible & Van-Accessible Parking Spaces
1 to 25	0	1	1
26 to 50	1	1	2
51 to 75	2	1	3
76 to 100	3	1	4
101 to 150	4	1	5
151 to 200	5	1	6
201 to 300	5	2	7
301 to 400	6	2	8
401 to 500	7	2	9
501 to 1000	9	2	11 (2 percent of total)*
1001 and over	20 plus 1 for each 100, or fraction thereof, over 1000	1 for each 6 Accessible Spaces, or fraction of 6	

TABLE A(1)-2-2**OFF-STREET AND PARK-AND-RIDE LOT PARKING SPACES**

Source: [2010 ADA Standards for Accessible Design dated September 15, 2010, Chapter 5: Parking Spaces - United States Access Board](#)

* Rev. 1/19