

**2001 Insertable Sheet List  
For Use With The 2001 Imperial Road and Bridge Standards  
November 2007**

The following is a complete list of special design **IMPERIAL** insertable sheets that will be used with the 2001 Road and Bridge Standards. These sheets have been loaded on Falcon DMS for VDOT personnel and on the FTP server for the consultant community.

<b>Falcon Location:</b>	<u>Imperial</u>		<u>Metric</u>
PPMS#	eng-ser	PPMS#	eng-ser
Division	insert	Division	minsert

**FTP Location:** Imperial path download/insertable-sheets/imperial-inserts  
Metric path download/insertable-sheets/metric-inserts

The information below shows the file name as it is on the system, the title of the Insertable Sheet, the description of the 11-07 and 8-07 changes, the applicable Standard, and the date the file was revised by Engineering Services. The new/revised sheets and descriptions of the 11-07 and 8-07 changes are in bold. **Note that the revised Insertable Sheet dated 11-07 will be applicable to projects going to Advertisement in January 2008, while the new/revised sheets dated 8-07 will be applicable to projects going to Advertisement in March 2008.**

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11/07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a2.dgn	HYDROLOGIC DATA SHEET	N/A	Rev. 9-19-87
a4.dgn	ROADSIDE DEVELOPMENT	N/A	Rev. 7-03
a5.dgn	EROSION CONTROL SUMMARY	N/A	Rev. 7-02
a6.dgn	TEMPORARY SEDIMENT TRAP DETAIL SHEET	N/A	New 6-01
a9.dgn	PRELIMINARY RIGHT OF WAY DATA SHEET	N/A	Rev. 6-97
a14.dgn	REVISION DATA SHEET	N/A	Rev. 9-23-93
a20.dgn	STANDARD MANHOLE FRAME AND COVER	MH-1	New 7-02
a36.dgn	RADIAL OFFSET / REVERSE CURVE DATA	N/A	Rev. 9-23-93
a41.dgn	UNDERGROUND UTILITY TEST HOLE INFORMATION	N/A	Rev. 1-95
a47.dgn	GR-FOA-3 W-BEAM GUARDRAIL INSTALLATION CRITERIA	N/A	Rev. 7-98
<b>a55.dgn</b>	<b>STANDARD SIDEWALK UNDERDRAIN Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>UD-3</b>	<b>Rev. 8-07</b>
a57.dgn	STANDARD ENDWALL FOR PIPE UNDERDRAIN	EW-12	Rev. 7-04
a59.dgn	CG-12 DETECTABLE WARNING SURFACE (ACCESS FOR MOBILITY IMPAIRMENTS)	CG-12	Rev. 7-05

<b><u>NUMBER</u></b>	<b><u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u></b>	<b><u>STD</u></b>	<b><u>DATE</u></b>
a62.dgn	TYPICAL CONCRETE SAFETY SLAB	SL-1	New 7-05
a65_1.dgn	W-BEAM GUARDRAIL - FIXED OBJECT ATTACHMENT	GR-FOA-1	Rev. 9-06
a65_2.dgn	W-BEAM GUARDRAIL - FIXED OBJECT ATTACHMENT	GR-FOA-1	Rev. 9-06
a66_1.dgn	W-BEAM GUARDRAIL - FIXED OBJECT ATTACHMENT	GR-FOA-2	Rev. 9-06
a66_2.dgn	W-BEAM GUARDRAIL - FIXED OBJECT ATTACHMENT	GR-FOA-2	Rev. 9-06
a67.dgn	BLOCKED-OUT W-BEAM MEDIAN BARRIER FIXED OBJECT ATTACHEMENT	GR-FOA-4	Rev. 9-06
a68.dgn	STANDARD HANDRAIL	HR-1	Rev. 7-04
<b>a69.dgn</b>	<b>CULVERT OUTLET PROTECTION</b> Revised description of EC-1 to match old pay item codes.	<b>EC-1</b>	<b>Rev. 8-07</b>
<b>a70_1.dgn</b>	<b>SOIL STABILIAION MAT DITCH INSTALLATION TYPE A OR B</b> Revised description of EC-3 to match old pay item codes.	<b>EC-3</b>	<b>Rev. 8-07</b>
<b>a70_2.dgn</b>	<b>SOIL STABILIAION MAT DITCH INSTALLATION TYPE A OR B</b> Revised description of EC-3 to match old pay item codes.	<b>EC-3</b>	<b>Rev. 8-07</b>
a71.dgn	GRADING DIAGRAM AND SUMMARY	N/A	Rev. 5-99
a73.dgn	TYPICAL METHOD OF INSTALLATION FOR PIPE ON FILL SLOPE	N/A	Rev. 7-01
a76.dgn	STANDARD ENTRANCE GUTTER W/ FLARED OPENING FOR USE ACROSS SIDEWALK	CG-9A	Rev. 2-06
a78.dgn	PRIVATE ENTRANCES	CG-9B	Rev. 2-06
<b>a80.dgn</b>	<b>STANDARD GROUNDWATER UNDERDRAIN STANDARD UNDERDRAIN FOR USE WITH GRASS MEDIANS</b> Revised notes to allow the use of crushed glass in place of aggregate.	<b>UD-1 UD-2</b>	<b>Rev. 8-07</b>
<b>a81.dgn</b>	<b>STANDARD PAVEMENT EDGEDRAIN</b> Revised notes to allow the use of crushed glass in place of aggregate.	<b>UD-4</b>	<b>Rev. 8-07</b>

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a82.dgn	<b>PREFABRICATED GEOCOMPOSITE RETROFIT PAVEMENT EDGEDRAIN</b> Revised notes to allow the use of crushed glass in place of aggregate.	UD-5	Rev. 8-07
a83.dgn	<b>STANDARD RETROFIT EDGEDRAIN</b> Revised notes to allow the use of crushed glass in place of aggregate.	UD-7	Rev. 8-07
a84.dgn	<b>STANDARD COMBINATION UNDERDRAIN; (AT LOWER END OF CUTS AND AT GRADE SAGS AND BRIDGE APPROACHES)</b> Revised notes to allow the use of crushed glass in place of aggregate.	CD-1 CD-2	Rev. 8-07
a86.dgn	<b>PIPE BEDDING AND BACKFILL</b> Revised notes to allow the use of crushed glass in place of aggregate.	PB-1	Rev. 8-07
a87.dgn	STANDARD BLOCKED-OUT W BEAM GUARDRAIL (STRONG POST SYSTEM) POST AND BLOCKOUT DETAILS	GR-2,2A	Rev. 9-06
a88.dgn	GUARDRAIL AT LOW FILL CULVERTS	GR-10	Rev. 9-06
a89.dgn	BRAKEAWAY CABLE TERMINAL 4' FLARE	GR-7	Rev. 9-06
a91.dgn	STANDARD W BEAM GUARDRAIL (WEAK POST SYSTEM)	GR-8, 8A, 8B, 8C	Rev. 1-04
a92.dgn	W-BEAM GUARDRAIL INSTALLATION CRITERIA	GR-INS	Rev. 9-06
a93.dgn	W BEAM GUARDRAIL AND MEDIAN BARRIER INSTALLATION CRITERIA	GR-INS	Rev. 9-06
a94.dgn	BLOCKED OUT W-BEAM BARRIER	MB-3	Rev. 9-06
a95.dgn	STANDARD W BEAM MEDIAN BARRIER (WEAK POST SYSTEM)	MB-5	Rev. 7-05
a96.dgn	<b>CONCRETE MEDIAN BARRIER (TALL WALL)</b> Revised notes to allow the use of crushed glass in place of aggregate.	MB-12A,B,C	Rev. 8-07
a98.dgn	<b>CONCRETE MEDIAN BARRIER</b> Revised notes to allow the use of crushed glass in place of aggregate.	MB-7D,E,F MB-8A	Rev. 8-07
a100.dgn	CONCRETE BARRIER INLET (WITH MB-8A)	DI-10J,K,L	Rev. 7-02
a102.dgn	CONCRETE MEDIAN BARRIER DROP INLET	DI-14D, 14E, 14F	Rev. 7-01

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a103.dgn	PRECAST TRAFFIC BARRIER SERVICE CONCRETE WITH POSITIVE CONNECTION	MB-7D PC	Rev. 7-05
a104.dgn	CONCRETE MEDIAN BARRIER (TALL WALL TYPE I, II, OR III)	MB-13	New 1-04
a105_1.dgn	PRECAST CONCRETE MEDIAN BARRIER POSITIVE CONNECTION OPTIONS	MB-INS	Rev. 7-05
a105_2.dgn	PRECAST CONCRETE MEDIAN BARRIER POSITIVE CONNECTION OPTIONS	MB-INS	New 7-05
a106.dgn	WETLAND COMPENSATION PLANT LIST, SUMMARY AND NOTES	N/A	Rev. 10-99
a108.dgn	COMMERCIAL ENTRANCE	CG-13	Rev. 2-06
<b>a120.dgn</b>	<b>PIPE BEDDING AND BACKFILL</b> <b>Revised notes to allow the use of crushed glass</b> <b>in place of aggregate.</b>	<b>PB-1</b>	<b>Rev. 8-07</b>
<b>a127.dgn</b>	<b>JUNCTION BOX</b> <b>Revised notes to allow the use of crushed glass</b> <b>in place of aggregate.</b>	<b>JB-1A,2A</b> <b>3A,4A,5A</b>	<b>Rev. 8-07</b>
a128.dgn	LIGHTING POLE FOUNDATION INSTALLATION DETAILS	LF-1	Rev. 9-06
a130.dgn	FLARED END-SECTION FOR 23" X 14" TO 53" X 34" ELLIPTICAL CONCRETE PIPE CULVERTS	ES-1A	New 7-01
a132.dgn	TERMINAL TREATMENT FOR W BEAM GUARDRAIL	GR-6	Rev. 2-06
a133.dgn	CABLE GUARDRAIL	GR-3	Rev. 7-04
a136.dgn	SITE PREPARATION FOR GR-7 (Sheet 1 of 2)	GR-SP	Rev. 2-06
<b>a140.dgn</b>	<b>JUNCTION BOX</b> <b>Revised notes to allow the use of crushed glass</b> <b>in place of aggregate.</b>	<b>JB-1B, 2B,</b> <b>3B, 4B, 5B</b>	<b>Rev. 8-07</b>
<b>a141.dgn</b>	<b>JUNCTION BOX</b> <b>Revised notes to allow the use of crushed glass</b> <b>in place of aggregate.</b>	<b>JB-1C, 2C,</b> <b>3C, 4C, 5C</b>	<b>Rev. 8-07</b>
a142.dgn	FLARED END-SECTION FOR 12" – 60" CONCRETE PIPE CULVERTS AND 12" – 60" CORRUGATED PIPE CULVERTS	ES-1, ES-2	New 7-01
a143.dgn	STANDARD SPRING BOX PRECAST SPRING BOX	SB-1 SB-1 PC	Rev. 3-03

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a144.dgn	STANDARD CONCR. STEPS FOR 1½:1 SLOPE STANDARD CONCR. STEPS FOR 2:1 SLOPE	S-1 S-2	New 7-02
a145.dgn	TRAILING END TERMINAL TREATMENT	GR-11	Rev. 7-05
a146.dgn	W BEAM GUARDRAIL INSTALLATION CRITERIA	GR-INS	Rev. 3-03
a148.dgn	STANDARD PRECAST TOP UNITS	TDI-2, TDI-3	New 3-03
a149.dgn	STANDARD MAILBOX	RFD-1	Rev. 7-04
a150.dgn	PLAIN AND REINFORCED CONCRETE PAVEMENT SHOWING REINFORCEMENT, LONGITUDINAL AND TRANSVERSE JOINTS	PR-2	New 7-03
a151.dgn	PIPE BEDDING AND BACKFILL	PB-1	New 1-04
a152.dgn	STANDARD FENCE AND GROUNDING	FE-CL FE-6	Rev. 7-04
a153.dgn	STANDARD CURB DROP INLET	DI-2A,B,C DI -2D,E,F	Rev. 7-05
a154.dgn	TYPICAL DETAILS FOR OVERHEAD SIGN STRUCTURES	OSS-1	Rev. 2-06
<b>a155.dgn</b>	<b>TYPICAL DETAILS FOR OVERHEAD SIGN STRUCTURES</b> <b>Deleted note for alternate sign panel design.</b>	<b>OSS-1</b>	<b>Rev. 8-07</b>
a156.dgn	TYPICAL DETAILS FOR SIGN STRUCTURES	SSP-VA SSP-VIA	Rev. 7-05
a157.dgn	TYPICAL DETAILS FOR OVERHEAD SIGN STRUCTURES AND SIGN PANEL DESIGN	OSS-1 SPD-1	Rev. 2-06
a158.dgn	15" PIPE TEE SECTION DROP INLET	DI-9	New 7-04
a159.dgn	STANDARD SOLID CONCRETE RAISED MEDIAN STRIP	MS-1 MS-1A	Rev. 9-06
a160.dgn	STANDARD FENCE WOVEN WIRE FABRIC STANDARD FENCE BARBED WIRE	FE-W1,W2 FE-B	New 7-04
<b>a161.dgn</b>	<b>CONCRETE GRAVITY RETAINING WALLS</b> <b>Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>RW-2</b> <b>RW-3</b>	<b>Rev. 8-07</b>
a162.dgn	SANITARY SEWER MANHOLE WATER AND SANITARY SEWER FACILITIES	SMH-1	New 7-05

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a163.dgn	<b>MULTIGRATE DROP INLET Dump No Waste Drains to Waterways lettering added to DI-12 grate and revised notes to allow the use of crushed glass in place of aggregate.</b>	DI-12, 12A	Rev. 8-07
a164.dgn	<b>MULTIGRATE DROP INLET Dump No Waste Drains to Waterway lettering added to DI-12 grate and revised notes to allow the use of crushed glass in place of aggregate.</b>	DI-12B, 12C	Rev. 8-07
a165.dgn	<b>SHOULDER SLOT INLET Modified distance between inlet and bridge terminal wall and require CG-3 between inlet and bridge terminal wall.</b>	DI-13	Rev. 8-07
a166_1.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_2.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_3.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_4.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_5.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_6.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_7.dgn	ALLOWABLE PIPE CRITERIA	PC-1	New 7-05
a166_8.dgn	ALLOWABLE PIPE CRITERIA	PC-1	Rev. 9-06
a167.dgn	TYPICAL BRIDGE PARAPET SIGN SIGNAL POLE FOUNDATION	BSS-1 PF-1	Rev. 2-06
a168.dgn	TYPICAL PAVEMENT MARKINGS FOR BICYCLE LANE	PM-6	Rev. 2-06
a169.dgn	PEDESTRIAN SIGNAL INDICATION DETAILS	S-5,6,7,8,9	New 7-05
a170.dgn	CONCRETE MEDIAN BARRIER DROP INLET	DI-14	New 2-06
a171.dgn	STORAGE FACILITY FOR NUCLEAR GAUGE	NG-1	New 2-06
a172.dgn	ELECTRICAL SERVICE DETAILS SIGNAL INSTALLATION	SE-1	New 2-06
a173.dgn	ELECTRICAL SERVICE DETAILS SIGNAL INSTALLATION	SE-2 SE-4	New 2-06
a174.dgn	ELECTRICAL SERVICE DETAILS SIGNAL INSTALLATION	SE-3	New 2-06

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
a175.dgn	ELECTRICAL SERVICE DETAILS SIGNAL INSTALLATION SIGN AND LIGHTING INSTALLATION	SE-5 SE-6	New 2-06
a176.dgn	ELECTRICAL SERVICE DETAILS SIGN AND LIGHTING INSTALLATION	SE-7 SE-8	New 2-06
a177.dgn	ELECTRICAL SERVICE DETAILS SIGN AND LIGHTING INSTALLATION	SE-9	New 2-06
a178.dgn	TYPICAL PAVEMENT MARKING DETAILS	PM-1	New 2-06
a179.dgn	STANDARD 6" CURB COMBINATION 6" CURB AND GUTTER	CG-2 CG-6	New 9-06
a180.dgn	STANDARD 4" CURB COMBINATION 4" CURB AND GUTTER	CG-3 CG-7	New 9-06
a181.dgn	ASPHALT CONCRETE CURB AND MEDIAN	MC-3,3A MC-3B,3C	New 9-06
a182.dgn	CONCRETE MEDIAN CURB	MC-1	New 9-06
a183.dgn	STANDARD RAISED GRASS MEDIAN STRIP STD. RAISED ASPHALT MEDIAN WITH CONCRETE CURB	MS-2 MS-4	New 9-06
a184.dgn	PEDESTAL POLE WIRING DETAIL	WD-4	New 9-06
a185.dgn	TYPICAL DETAILS FOR STANDARD & SPECIAL ROAD EDGE DELINEATORS	ED-1,ED-2	New 9-06
a186.dgn	DRAINAGE STRUCTURE BEDDING	DSB-1	New 9-06
<b>a187.dgn</b>	<b>ASPHALT PAVEMENT WIDENING Entire sheet revised.</b>	<b>WP-2</b>	<b>Rev 11-07</b>
<b>a188.dgn</b>	<b>CENTERLINE RUMBLE STRIPS Revised radius of rumble strip to 12.5".</b>	<b>RS-3</b>	<b>Rev 8-07</b>
a189.dgn	TRANSVERSE PAVEMENT TIE-IN	TPT-1	New 9-06
<b>a190.dgn</b>	<b>STANDARD DROP INLET Dump No Waste Drains to Waterways lettering added to DI-1 grate.</b>	<b>DI-1 DI-1A</b>	<b>New 8-07</b>
<b>a191.dgn</b>	<b>STANDARD CURB DROP INLET Dump No Waste Drains to Waterways lettering added to DI-2 Grate.</b>	<b>DI-2</b>	<b>New 8-07</b>
<b>a192_1.dgn</b>	<b>STANDARD INLET FRAME AND COVER Dump No Waste Drains to Waterways lettering added to IC-2 cover.</b>	<b>IC-2</b>	<b>New 8-07</b>

<b><u>NUMBER</u></b>	<b><u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u></b>	<b><u>STD</u></b>	<b><u>DATE</u></b>
a192_2.dgn	<b>PRECAST INLET FRAME AND COVER Dump No Waste Drains to Waterways lettering added to IC-2 cover.</b>	<b>IC-2</b>	<b>New 8-07</b>
a193.dgn	<b>8" CONTINUOUSLY REINFORCED CONC. PAVEMENT 9" CONTINUOUSLY REINFORCED CONC. PAVEMENT Revised Anchor Slab Type I, Section A-A to include missing rebar across construction joint.</b>	<b>PR-3 PR-4</b>	<b>New 8-07</b>
a194.dgn	<b>PIPE ENDWALL WITH LOAD-CARRYING GRATE Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>EW-11</b>	<b>New 8-07</b>
a195.dgn	<b>CONNECTION FOR STREET INTERSECTIONS AND COMMERCIAL ENTRANCES Revised sheet to clarify differences between street connections and commercial entrances.</b>	<b>CG-11</b>	<b>New 8-07</b>
a196.dgn	<b>MORTAR RUBBLE RETAINING WALL Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>RW-1A RW-1B</b>	<b>New 8-07</b>
a197.dgn	<b>JUNCTION BOX Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>JB-1D</b>	<b>New 8-07</b>
a198.dgn	<b>UTILITY BEDDING AND PROTECTION WATER AND SANITARY SEWER FACILITIES Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>UB-1</b>	<b>New 8-07</b>
a199.dgn	<b>LEAK DETECTOR Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>LD-1</b>	<b>New 8-07</b>
a200.dgn	<b>BLOW-OFF VALVE AND BOX WATER AND SANITARY SEWER FACILITIES Revised notes to allow the use of crushed glass in place of aggregate.</b>	<b>BOV</b>	<b>New 8-07</b>
isd414_1.dgn	TEMPORARY SILT FENCE AND FILTER BARRIER	EC-5	Rev. 9-06
isd414_2.dgn	DROP INLET SILT TRAP (TYPE A AND B)	EC-6	Rev. 3-03
isd414_4.dgn	TEMPORARY EROSION AND SILTATION CONTROL	EC-INS	Rev. 7-04
isd564a.dgn	DITCH FLUME CONNECTOR	PG-7	New 7-02

<u>NUMBER</u>	<u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u>	<u>STD</u>	<u>DATE</u>
isd570.dgn	STANDARD PAVED DITCHES	PG-2A PG-3	Rev. 7-04
isd1165a.dgn	TRAFFIC BARRIER SERVICE CONCRETE PARAPET – DOUBLE FACED FOR TEMP. INSTALLATION ON BRIDGE DECK EXTERIOR	MB-11A	Rev. 9-06
isd1165b.dgn	TRAFFIC BARRIER SERVICE CONCRETE PARAPET – DOUBLE FACED FOR TEMP. INSTALLATION ROADWAY	MB-11A	New 9-06
isd1276a.dgn	TRAFFIC BARRIER SERVICE SINGLE FACE PARAPET (FOR SINGLE FACE TEMPORARY INSTALLATION ON BRIDGE DECK EXTERIOR)	MB-10A	New 7-02
isd1482.dgn	SPECIAL DESIGN SLOPE DRAIN	N/A	Rev. 12-99
isd1588.dgn	LOW FLOW DIVERSION FOR MULTIPLE LINE CULVERT INSTALLATIONS	N/A	Rev. 9-94
<b>isd1722a.dgn</b>	<b>RUMBLE STRIPS</b> <b>Clarified title of RS-1 and revised the radius of</b> <b>rumble strip to 12.5”.</b>	<b>RS-1</b>	<b>Rev. 8-07</b>
isd2045.dgn	SPECIAL DESIGN CONCRETE SLAB END TREATMENT	N/A	Rev. 10-10-97
isd2063.dgn	BUTTING TRAFFIC BARRIER SERVICE TO SINGLE FACE PARAPET SERVICE	MB-INS	New 7-02
isd2209.dgn	STORMWATER MANAGEMENT (SWM) DETAILS	SWM-DR	Rev. 3-03
isd2216.dgn	STORMWATER MANAGEMENT (SWM) DETAILS	SWM-1	Rev. 3-03
isd2216A.dgn	STORMWATER MANAGEMENT (SWM) DETAILS	SWM-DR	Rev. 3-03
isd2390.dgn	ALT. BREAKAWAY CABLE TERMINAL NO FLARE	GR-9	Rev. 9-06
isd2623.dgn	CONTINUOUSLY REINFORCED CONCRETE PAVEMENT	PR-6	Rev. 1-04
isd2724.dgn	CONTINUOUSLY REINFORCED CONCRETE PAVEMENT	PR-5	Rev. 1-04
isd2761.dgn	CONTINUOUSLY REINFORCED CONCRETE PAVEMENT	PR-7	Rev. 1-04
isd2861.dgn	CONTINUOUSLY REINFORCED CONCRETE PAVEMENT	PR-8	Rev. 1-04

<b><u>NUMBER</u></b>	<b><u>TITLE (INCL. DESCRIPT. OF 8-07 AND 11-07 CHANGES)</u></b>	<b><u>STD</u></b>	<b><u>DATE</u></b>
isd2862.dgn	CONTINUOUSLY REINFORCED CONCRETE PAVEMENT	PR-9	Rev. 2-06
isd2944.dgn	SINK HOLE DETAILS	N/A	New 11-02
isd2945.dgn	MODIFIED PG-2A AND MODIFIED PG-5	N/A	New 11-02
isd86.dgn	86 CADD LEVEL STRUCTURE SHEET	N/A	New 1-96
isd95.dgn	95 CADD LEVEL STRUCTURE SHEET Revised survey level structure.	N/A	Rev. 7-04
<b>iinserttr.doc</b>	<b>Current Insertable Sheet List</b>		<b>Rev. 11-07</b>